









Product description

The challenge when working on electronic components is that they can become damaged even at the lowest voltages. The electrostatically conductive fine screwdriver PicoFinish® ESD masters such tasks effortlessly. Thanks to their long, slim handles and quick-turning zone, these fine screwdrivers are ideal for careful, precise work practices on delicate workpieces. Their ergonomic handle design with soft zone makes them comfortable to use. The smooth-running rotating cap allows users to turn the screwdriver quickly and sensitively. The printed screwdriver symbols on the rotating cap make it easier to select the right screwdriver profile. The dissipative tool safely channels electrostatic energy away in a controlled fashion. The ESD fine screwdrivers are manufactured in compliance with international IEC standard 61340-5-1, thus guaranteeing maximum protection for electronic components. These screwdrivers have a surface resistance between 106 and 109 ohm.

Application

Ideal for fine and delicate fastening tasks on components at risk of electrostatic discharge.

Order-No.	EAN						
43694	4010995436940	T1	40	2,5	134	9	12
43695	4010995436957	T2	40	2,5	134	9	12
43696	4010995436964	T3	40	2,5	134	9	12
43697	4010995436971	T7	40	2,5	134	9	12
43699	4010995436995	T6	40	2,5	140	18	16
43698	4010995436988	T5	40	2,5	134	9	12
43700	4010995437008	T7	40	2,5	140	18	15
43701	4010995437015	T8	40	2,5	140	18	15
43702	4010995437022	T9	50	3	150	18	18
43703	4010995437039	T10	50	3	150	18	18
43704	4010995437046	T15	60	3,5	150	18	21
43705	4010995437053	T20	60	4	150	18	24